



1HZ

11000




2LT

11000




22R#

11000




1PZ

11000




1KZT

11000




1HZ

11400




2LT

11400




1PZ

11400




22R#

11400




1KZT


11400




04111






04112









11101


























MA D428













MA D582-B



MA D486-B



MA D522-D






IP : Idle Pulley  
 VP : Vane Pump  
 WP : Water Pump  
 AL : Alternator  
 CK : Crankshaft  
 CC : Cooler Compressor


AP : Air Pump

	PNC		
	16361A		
	44310A		
	88310A		


22R#




3B




1KZT







1HZ, 1PZ






2LT



91621-60812 (4)









①

②

③




1HZ




④

⑤

17430



MA D587





MA D588-B

## Vacuum Hose Supply Method








Supply of Vacuum Hose is determined in length specified below.

Necessary Length	Part Number	Length available
Below 300 mm	90999-92002	300 mm
301 to 600 mm	90999-92003	600 mm
601 to 950 mm	90999-92004	950 mm
951 to 1300 mm	90999-92006	1300 mm
1301 to 1650 mm	90999-92007	1650 mm
1651 to 2600 mm	90999-92008	2600 mm



1. Actual replacement to vehicle could be made by cutting the hose into desired length.
2. Unlike the vacuum hose already installed in the vehicle, this replacement vacuum hose does not have the hose number printed on it. Accordingly, before installing this vacuum hose, write on it the same hose number as that written on the vacuum hose to be removed as shown below.




1. As hose is supplied in 300 mm length, cut off excess to meet desired length of 220 mm.
2. Using an oil-based marking pen or a ball-point pen, write the hose number at both ends of the hose, in accordance with the original hose number.




HOOD





MA D656






28100

- ※3 94512-01200
- ※4 94612-11200
- ※3 94115-51200
- ※4 94130-61200

92136-61240



91619-61245

